

### **USER MANUAL**

The TYPHOON Wizard is a mini GPS tracking device that gives you full one-handed flight control over the TYPHOON aircraft. Features such as 'Follow Me' and 'Watch Me' ensure that you are in frame in every shot. The 'point to fly' function allows you to point and click to reposition your TYPHOON in a very intuitive way.

### SPECIFICATIONS

139 X 37 X 25 mm (5.47 X 1.46 X 0.98 in) 71.5 g ( 2.52 oz ) TYPHOON Q500 / Q500+ / Q500 4K / Black / G CGO2CB / CGO2+ / CGO3 Dimensions Weight (with LiPo Battery) Compatible Aircfraft
Compatible Camera
Water Resistant
Working Hours
Built-In LiPo Battery Voltage / Capacity
3.7 y 500mAh

The Wizard CANT replace the Personal Ground Station/Remote Controller because it has no Wift.
 Do not submerge the Wizard in water no matter it is in/not in waterproof carrying strap.The aircraft will lose signal.
 Do not use Home Mode when you are in water areas.
 Be sure to turn off the Wizard when you do not use it.
 Be sure to preate the Wizard wine open areas that are free from people, vehicles and other obstructions. Never Ify near or above crowds, airports or buildings.

### GENERAL SAFETY PRECAUTIONS AND WARNINGS

Failure to use this product in the intended manner as described in instruction manual can result in damage to the product, property and/or cause serious injury. This product is not a toy! If misused it can cause serious body harm and damage to property.

-As the user of this product you are solely and wholly responsible for operating it in a manner that does not endanger yourself and others or result in damage to the product or the property of others.

• Do not attempt to operate your equipment in areas with potential magnetic and/or radio interference including areas nearby broadcast towers, power transmission stations, high voltage power lines, etc.

11 0



- 1. Aircraft Mode LED 2. Wizard GPS LED 3. Aircraft Status LED 4. Ascend / Forward B
- 4. Ascend / Forward Button
  5. Turn / Fly to the Left Side Button
  6. Turn / Fly to the Right Side Button
  7. Descend / Backward Button
  7. Descend / Backward Button
  9. Pitch Control Button-down
  10. Pitch Control Button-up
  11. Start / Stop Motors Button
  12. Wizard Power Button
  13. Wizard Power Button
  14. Smart / Angle / Home Mode Switch
  15. Clip
- 15. Clip 16. USB Port

### WIZARD LED STATUS:

- Aircraft Mode LED
- Smart Mode: LED solid green
  Angle Mode: LED solid purple
  Home Mode: LED solid red
  'Point To Fly Function Activated: LED solid blue
- (i) Wizard GPS LED

GPS Locked: LED solid green.

### Aircraft Status LED

- The Communication Mal-function Between the Wizard and the Aircraft : LED solid red GPS Loss of Aircraft: LED off
- Aircraft in No-Fly Zone: LED blinking red, green and blue alternately

- Aircraft in No-Fly Zone: LED blinking red, green and blue alternately
   Battery full: LED solid green
   Battery 50%: LED blinking green twice every 2 seconds
   Battery 25%: LED blinking green once every 2 seconds
   Low Voltage Warning of the Aircraft:
   LED blinking red quickly, the Wizard vibrating for 2 seconds once continuously

### Wizard Power LFD:

- Powered On: LED solid green
- During Charging: LED solid red
   Charging Completed: Red LED off
- Low Voltage Warning of the Wizard:

  Low Voltage Warning of the Wizard:

  Low Battery--- LED blinking green twice every 2 seconds

  Power Cut-off---LED blinking reed quickly, the Wizard vibrating for 2 seconds once

### BATTERY WARNINGS AND USAGE GUIDELINES

WARNING: Lithium Polymer (LiPo) batteries are significantly more volatile than alkaline, NiCd or NiMH batteries. All instructions and warnings must be followed exactly to prevent property damage and/or serious injury as the mishandling of LiPo batteries can result in fire by handling, charging or using the included LiPo battery ou assume all risks associated fivilibility batteries. If you do not agree with these conditions please return the complete product in new, unused condition to the place of purchase immediately.

• You must always charge the LiPo battery in a safe, well-ventilated area away from flammable materials.

• Never charge the LiPo battery unattended at any time. When charging the battery you must always remain in constant observation to monitor the charging process and react immediately to any potential problems that may occur.

• After fiving-discharging the LiPo battery you must allow it to cool to ambient/room temperature before recharging.

• To charge the LiPo battery you must use only the included charger or a suitably compatible LiPo battery the place of the place of the place of the property damage and/or serious injury, meet the LiPo battery to battery to hallow or the battery to any potential problems that the place of the property damage and/or serious injury, meet the LiPo battery to battery charges the ballow or the place of the pl

LIPO battery charger. Failure to do so may result in a fire causing property damage and/or serious injury.

• If at any time the LiPo battery begins to balloon or swell, discontinue charging or discharging immediately. Quickly and safely disconnect the battery, then place it in a safe, open area away from flammable materials to observe it for at least 15 minutes. Continuing to charge or discharge a battery that has begun to balloon or swell can result in a fire. A battery that has ballooned or swollen even a small amount must be removed from service completely.

battery that has ballooned or swollen even a small amount must be removed from service completely.

• Do not over-discharge the LiPo battery. Discharging the battery too low can cause damage to the battery resulting in reduced power, flight duration or failulire of the battery exiting the battery are too the store the LiPo battery at room temperature and in a dry area for best results.

• When charging, transporting or temporarily storing the LiPo battery the temperature range should be from approximately 40 – 120° F (5-49°). Do not store the battery or alicraft in a hot garage, car or direct sunlight. If stored in a hot garage or car the battery can be damaged or even catch fines and power supplies untatheded during use.

• Never attempt to charge low voltage, ballooned/swollen, damaged or wet batteries.

• Never attempt to charge low voltage, ballooned/swollen, damaged or wet batteries.

• Never row children under 14 years of age to charge batteries.

• Never drop batteries, chargers or power supplies.

• Always inspect the battery, charger and power supplies.

• Always ensure correct polarity before connecting batteries, chargers and power supplies.

• Always inspect the battery, charger and power supply malfunctions.

IMPORTANT NOTE: It's safer and better for the longevity of the battery to store it only

• Always terminate all processes if the battery, charger or power supply malfunctions. IMPORTANT NOTE: It's safer and better for the longevity of the battery to store it only partially charged for any length of time. Storing the battery approximately 50%, charged (which is around 3.85V per cell) is typically best, however, it will take some careful management of the charge time and the use of a volt meter to achieve this voltage. If you have the equipment and skills to achieve the 50% charge level for storage it is recommended. If not, simply be sure to not store the battery fully charged whenever possible. In fact, as long as the battery will be stored at approximately room temperature and for no more than a few weeks before the next use, it may be best to store the battery in the discharged state after the last flight (as long as the battery was not over-discharged on the last flight).

### ARGING THE BATTERIES


CHARGING THE BATTERIES
You can charge the LiPo battery installed in the TYPHOON Wizard from a computer using the USB. While the TYPHOON Wizard is powered off, connect the cable to a computer. The Power LED will be solid red while the battery is charging, and will be off when the battery is fully charged, It will take approximately 2 hours to charge a fully discharged (not over-discharged ) battery, and its working hours is 3.5 h.



WARNING: Do not take out the LiPo battery installed in the TYPHOON Wizard, otherwise the TYPHOON Wizard may be damaged.

NOTICE: If it is your first time to use the TYPHOON Wizard to control an aircraft, please bind the TYPHOON Wizard to your aircraft.

Step 1) ③ Turn on the aircraft. ⑤ Lift its tail upwards approximately 45° then back down to 'level' twice to put the aircraft/receiver into binding mode.




NOTICE: The TYPHOON Wizard only needs to be bound to an aircraft for the first time. There is no need to bind the Wizard to the same aircraft when you use it again.

Press and hold the Power Button D. When all LEDs blink once and the TYPHOON Wizard vibrates once, release the Power button D. The Power LED glows solid green, and the Aircraft Mode LED is on, then the TYPHOON Wizard is powered on successfully.

NOTICE: Gyroscopes Mal-function: If the TYPHOON Wizard keeps vibrating when powering on and fails to power on, please return it to the service center for maintenance.

FLIGHT CONTROLS NOTICE: The safe distance between the TYPHOON Wizard and the aircraft is 12m The TYPHOON Wizard can be controlled in different positions. Direction Control Buttons function differently according to the positions of the Wizard.



NOTICE: When the aircraft flies to the left or right side, the nose of aircraft doesn't change

### POINT TO FLY FUNCTION


Press and hold the Magic Button on the TYPHOON Wizard, and the aircraft can fly to any direction the TYPHOON Wizard is pointed to in the sky.

### To Enter 'Point To Fly' Function

Point to Hy Function

Point the TYPHOON Wizard to a direction, press and hold the Magic Button. Release the Magic Button when Aircraft Mode LED glows solid blue and TYPHOON Wizard vibrates once. Then the aircraft will fly to the direction the TYPHOON Wizard points. The closer the TYPHOON Wizard is tilted towards 0°, the further the aircraft will fly away from the pilot. The closer the TYPHOON Wizard is tilted towards 90°, the closer the aircraft will fly to the pilot. When the Wizard is tilted at 90°, the aircraft will fly close to you straightly and stop at a safe distance.


NOTICE: The recommended flying height is 10-20 m. The operating distance range of the TYPHOON Wizard is 10-50 m.



### SMART MODE

When the Flight Mode Selection Switch is in the top position, the aircraft will be in the Smart Mode. The Aircraft Mode LED will glow solid green.

J) Watch Me function under smart Mode Watch Me function enables the camera to keep tracking the TYPH/OON Wizard to matter where and how it moves as the camera can automatically till it is angle according to the controller. Usually, the default function under the Smart Mode is Watch Me.



# USER MANUAL OSEZIW LOOH947

The Turn Left ◀ and Turn Right ▶ are disabled in this mode (Fly to the Left Direction and Fly to the Right Direction can be controlled). The pilot will always be kept in the frame

wherever he moves.


NOTICE: In the Smart Mode, the geo-fence will keep the aircraft from traveling further than
300 feet (90meters). The geo-fence is a virtual 'barrier'.

CAUTION: Any operation related to camera control needs to be done on mobile APPs. The
APP can be downloaded from Google Play Store or APP Store. You can't use the Wizard to
take photos or record videos.

IMPORTANT NOTE: The Point To Fly' Function can only be activated in Smart Mode.

### 2) Follow Me Function Under Smart Mode

2) Follow Me Function Under Smart Mode
The Follow Me function allows the aircraft to follow the pilot, adjusting its location to the location of the TYPHOON Wizard All buttons are controllable in this mode. When in Follow Me function, the aircraft will follow the movement of the TYPHOON Wizard if there is no extra operation on the TYPHOON Follow Me function can be switched to by the following steps:
When in Smart Mode, press the Magic Button quickly once and the Aircraft Mode LED will glow solid yellow. And it will be in Follow Me function.



WARNING: The maximun flight speed of TYPHOON Q500 aircraft is 7m/s. If the movement of the pilot is much faster than 7m/s, the aircraft may fly away.

When the Flight Mode Selection Switch is in the middle position the aircraft will be in Angle Mode. The Aircraft Mode LED will be solid purple. The Aircraft Mode LED will be solid purple the direction the TVPHOON Wizard is controlled relative to the front/nose of the aircraft. The aircraft has no function of Follow Me or Watch Me. NOTICE: In this mode, the 'Point To Fly Function can't be activated.

NOTICE: In this mode, the 'Point to FIY Function can't be activated.

IMPORTANT NOTICE: In the Angle mode, the aircraft is not suggested travelling further than 656 feet (200 meters). The Wizard will keep vibrating when the aircraft travels further than 656 feet (200 meters).

HOME MODE
When the Flight Mode Selection Switch is in the bottom position, the aircraft will be in the Home Mode. The Aircraft Mode LED will be solid red. To exit the Home Mode, switch the Mode Switch to Angle/Smart Mode, then the aircraft will stop moving and automatically hold its position (with a suitable GPS signal/lock) and maintain a level attitude then.

In Home Mode the aircraft will decide the suitable stop of the suitable specific will decide specific will decide the suitable specific will decide specific specific will decide specific will decide specific will decide specific will decide specific specific will decide specific specif



NOTICE: In this mode, the 'Point To Fly' Function can't be activated.

CAUTION: Don't switch to Home Mode when you are near water areas

### CAMERA CONTROLS





NOTICE: The control radius range of camera control is within 90 m. CAUTION: When using the Wizard, if it keeps vibrating continuously, it indicates the hardware in the Wizard malfunction. Please send it to the official service center for

This equipment has been tested and found to comply with the limits for Part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications.

However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

\*\*Reorient or relocate the receiving antenna.\*\*

Increase the separation between the equipment and receiver.
Connect the equipment to an outlet on a circuit different from that to which the receiver is connected.
This device omplies with part 15 of the PCC rules. Operation is subject to the following two conditions:
(1) This device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reactions are considered to the provide reaction of the provide reac

**CAUTION:** Any changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate this equipment.

### IC RADIATION EXPOSURE STATEMENT FOR CANADA

This device complies with Industry Canada licence-exempt RSS standard(s). Operation is subject to the following two conditions: (1) this device may not cause interference, and (2) this device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes: (1) l'appareil ne doit pas produire de brouillage, et (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

This equipment complies with IC RSS-102 radiation exposure limit set forth for an uncontrolled environment. Cet équipement respecte les limites d'exposition aux rayonnements IC définies pour un environnement non contrôlé

### CUSTOMER SERVICE

http://vuneec.com/support

## VIINEEC IISA

YUNEEC EU

5555 Ontario Mills Parkway, Ontario, CA91764, USA 1 855 2848888 sales@yuneec.com

# YUNEEC HK 2/F, Man Shung Industrial Building, 7 Lai Yip Street, Kwun Tong, Kowloon, Hong Kong 852 3616 6071

YUNEEC AU

Nikolaus-Otto-Strasse + 24568 Kaltenkirchen, Germany +49 4191 932620 etisales@vuneec.com

When the Aircraft Status LED is solid yellow or blinking yellow frequently, it indicates calibration is needed. Please refer to the TYPHOON Wizard User Manual from our official website: www.yuneec.com

Any information above might be changed due to the software update. For the latest documents, please check the official website. This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation







WWW.YUNEEC.COM